

```

<?xml version="1.0" encoding="UTF-8"?>
<archetype xmlns:at="openEHR/v1/Archetype"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <archetype_id>CEN-EN13606-ENTRY.Avaliacao_Neonatal.v1</archetype_id>
  <concept_code>at0000</concept_code>
  <language>
    <original_language>
      <code_string>pt-br</code_string>
      <terminology_id>ISO_639-1</terminology_id>
    </original_language>
  </language>
  <description>
    <original_author>
      <item>
        <key>date</key>
        <value>20090903</value>
      </item>
    </original_author>
    <lifecycle_state>Draft</lifecycle_state>
    <details>
      <language>
        <code_string>pt-br</code_string>
        <terminology_id>ISO_639-1</terminology_id>
      </language>
      <purpose>Archetype purpose</purpose>
      <use>null</use>
      <misuse>null</misuse>
    </details>
  </description>
  <definition>
    <rm_type_name>ENTRY</rm_type_name>
    <occurrences>
      <includes_maximum>true</includes_maximum>
      <includes_minimum>true</includes_minimum>
      <maximum>1</maximum>
      <minimum>1</minimum>
    </occurrences>
    <node_id>at0000</node_id>
    <attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
      <rm_attribute_name>name</rm_attribute_name>
      <children xsi:type="at:C_COMPLEX_OBJECT">
        <rm_type_name>SIMPLE_TEXT</rm_type_name>
        <occurrences>
          <includes_maximum>true</includes_maximum>
          <includes_minimum>true</includes_minimum>
          <maximum>1</maximum>
          <minimum>0</minimum>
        </occurrences>
      </children>
    </attributes>
    <node_id>at0001</node_id>
    <attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
      <rm_attribute_name>originalText</rm_attribute_name>
      <children xsi:type="at:C_PRIMITIVE_OBJECT">
        <rm_type_name>String</rm_type_name>
        <occurrences>
          <includes_maximum>true</includes_maximum>
          <includes_minimum>true</includes_minimum>
          <maximum>1</maximum>
          <minimum>0</minimum>
        </occurrences>
        <item xsi:type="at:C_STRING">
          <pattern>.*</pattern>
        </item>
      </children>
    </attributes>
  </definition>

```

```

    </attributes>
  </children>
</attributes>
<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
  <rm_attribute_name>archetype_id</rm_attribute_name>
  <children xsi:type="at:C_PRIMITIVE_OBJECT">
    <rm_type_name>String</rm_type_name>
    <occurrences>
      <includes_maximum>true</includes_maximum>
      <includes_minimum>true</includes_minimum>
      <maximum>1</maximum>
      <minimum>0</minimum>
    </occurrences>
    <item xsi:type="at:C_STRING">
      <pattern>.*</pattern>
    </item>
  </children>
</attributes>
<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
  <rm_attribute_name>rc_id</rm_attribute_name>
  <children xsi:type="at:C_COMPLEX_OBJECT">
    <rm_type_name>II</rm_type_name>
    <occurrences>
      <includes_maximum>true</includes_maximum>
      <includes_minimum>true</includes_minimum>
      <maximum>1</maximum>
      <minimum>0</minimum>
    </occurrences>
  </children>
</attributes>
<node_id>at0002</node_id>
<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
  <rm_attribute_name>assigningAuthorityName</rm_attribute_name>
  <children xsi:type="at:C_PRIMITIVE_OBJECT">
    <rm_type_name>String</rm_type_name>
    <occurrences>
      <includes_maximum>true</includes_maximum>
      <includes_minimum>true</includes_minimum>
      <maximum>1</maximum>
      <minimum>0</minimum>
    </occurrences>
    <item xsi:type="at:C_STRING">
      <pattern>.*</pattern>
    </item>
  </children>
</attributes>
<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
  <rm_attribute_name>root</rm_attribute_name>
  <children xsi:type="at:C_COMPLEX_OBJECT">
    <rm_type_name>OID</rm_type_name>
    <occurrences>
      <includes_maximum>true</includes_maximum>
      <includes_minimum>true</includes_minimum>
      <maximum>1</maximum>
      <minimum>0</minimum>
    </occurrences>
  </children>
</attributes>
<node_id>at0009</node_id>
<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
  <rm_attribute_name>oid</rm_attribute_name>
  <children xsi:type="at:C_PRIMITIVE_OBJECT">
    <rm_type_name>String</rm_type_name>
    <occurrences>
      <includes_maximum>true</includes_maximum>
      <includes_minimum>true</includes_minimum>
      <maximum>1</maximum>
    </occurrences>
  </children>
</attributes>

```

```

                <minimum>0</minimum>
            </occurrences>
            <item xsi:type="at:C_STRING">
                <pattern>.*</pattern>
            </item>
        </children>
    </attributes>
</children>
</attributes>
</children>
<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
    <rm_attribute_name>synthesised</rm_attribute_name>
    <children xsi:type="at:C_PRIMITIVE_OBJECT">
        <rm_type_name>DvBoolean</rm_type_name>
        <occurrences>
            <includes_maximum>true</includes_maximum>
            <includes_minimum>true</includes_minimum>
            <maximum>1</maximum>
            <minimum>0</minimum>
        </occurrences>
        <item xsi:type="at:C_BOOLEAN">
            <true_valid>true</true_valid>
            <false_valid>true</false_valid>
            <assumed_value>>false</assumed_value>
        </item>
    </children>
</attributes>
<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
    <rm_attribute_name>sensitivity</rm_attribute_name>
    <children xsi:type="at:C_PRIMITIVE_OBJECT">
        <rm_type_name>Integer</rm_type_name>
        <occurrences>
            <includes_maximum>true</includes_maximum>
            <includes_minimum>true</includes_minimum>
            <maximum>1</maximum>
            <minimum>0</minimum>
        </occurrences>
        <item xsi:type="at:C_INTEGER">
            <range>
                <includes_maximum>false</includes_maximum>
                <includes_minimum>false</includes_minimum>
                <maximum>2147483647</maximum>
                <minimum>-2147483647</minimum>
            </range>
        </item>
    </children>
</attributes>
<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
    <rm_attribute_name>uncertainty_expressed</rm_attribute_name>
    <children xsi:type="at:C_PRIMITIVE_OBJECT">
        <rm_type_name>DvBoolean</rm_type_name>
        <occurrences>
            <includes_maximum>true</includes_maximum>
            <includes_minimum>true</includes_minimum>
            <maximum>1</maximum>
            <minimum>0</minimum>
        </occurrences>
        <item xsi:type="at:C_BOOLEAN">
            <true_valid>true</true_valid>
            <false_valid>true</false_valid>
            <assumed_value>>false</assumed_value>
        </item>
    </children>
</attributes>

```

```

    </children>
  </attributes>
  <attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
    <rm_attribute_name>subject_of_information_category</rm_attribute_name>
    <children xsi:type="at:C_COMPLEX_OBJECT">
      <rm_type_name>CS</rm_type_name>
      <occurrences>
        <includes_maximum>true</includes_maximum>
        <includes_minimum>true</includes_minimum>
        <maximum>1</maximum>
        <minimum>0</minimum>
      </occurrences>
      <node_id>at0004</node_id>
      <attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
        <rm_attribute_name>codeValue</rm_attribute_name>
        <children xsi:type="at:C_PRIMITIVE_OBJECT">
          <rm_type_name>String</rm_type_name>
          <occurrences>
            <includes_maximum>true</includes_maximum>
            <includes_minimum>true</includes_minimum>
            <maximum>1</maximum>
            <minimum>0</minimum>
          </occurrences>
          <item xsi:type="at:C_STRING">
            <pattern>.*</pattern>
          </item>
        </children>
      </attributes>
    </children>
  </attributes>
  <attributes xsi:type="at:C_MULTIPLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
    <rm_attribute_name>items</rm_attribute_name>
    <children xsi:type="at:C_COMPLEX_OBJECT">
      <rm_type_name>ELEMENT</rm_type_name>
      <occurrences>
        <includes_maximum>false</includes_maximum>
        <includes_minimum>true</includes_minimum>
        <minimum>0</minimum>
      </occurrences>
      <node_id>at0003</node_id>
      <attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
        <rm_attribute_name>name</rm_attribute_name>
        <children xsi:type="at:C_COMPLEX_OBJECT">
          <rm_type_name>SIMPLE_TEXT</rm_type_name>
          <occurrences>
            <includes_maximum>true</includes_maximum>
            <includes_minimum>true</includes_minimum>
            <maximum>1</maximum>
            <minimum>0</minimum>
          </occurrences>
          <node_id>at0005</node_id>
          <attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
            <rm_attribute_name>originalText</rm_attribute_name>
            <children xsi:type="at:C_PRIMITIVE_OBJECT">
              <rm_type_name>String</rm_type_name>
              <occurrences>
                <includes_maximum>true</includes_maximum>
                <includes_minimum>true</includes_minimum>
                <maximum>1</maximum>
                <minimum>0</minimum>
              </occurrences>
              <item xsi:type="at:C_STRING">
                <pattern>.*</pattern>
              </item>
            </children>
          </attributes>
        </children>
      </attributes>
    </children>
  </attributes>

```

```

        </item>
      </children>
    </attributes>
  </children>
</attributes>
<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
  <rm_attribute_name>rc_id</rm_attribute_name>
  <children xsi:type="at:C_COMPLEX_OBJECT">
    <rm_type_name>II</rm_type_name>
    <occurrences>
      <includes_maximum>true</includes_maximum>
      <includes_minimum>true</includes_minimum>
      <maximum>1</maximum>
      <minimum>0</minimum>
    </occurrences>
    <node_id>at0006</node_id>
    <attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
      <rm_attribute_name>assigningAuthorityName</rm_attribute_name>
      <children xsi:type="at:C_PRIMITIVE_OBJECT">
        <rm_type_name>String</rm_type_name>
        <occurrences>
          <includes_maximum>true</includes_maximum>
          <includes_minimum>true</includes_minimum>
          <maximum>1</maximum>
          <minimum>0</minimum>
        </occurrences>
        <item xsi:type="at:C_STRING">
          <pattern>.*</pattern>
        </item>
      </children>
    </attributes>
    <attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
      <rm_attribute_name>root</rm_attribute_name>
      <children xsi:type="at:C_COMPLEX_OBJECT">
        <rm_type_name>OID</rm_type_name>
        <occurrences>
          <includes_maximum>true</includes_maximum>
          <includes_minimum>true</includes_minimum>
          <maximum>1</maximum>
          <minimum>0</minimum>
        </occurrences>
        <node_id>at0010</node_id>
        <attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
          <rm_attribute_name>oid</rm_attribute_name>
          <children xsi:type="at:C_PRIMITIVE_OBJECT">
            <rm_type_name>String</rm_type_name>
            <occurrences>
              <includes_maximum>true</includes_maximum>
              <includes_minimum>true</includes_minimum>
              <maximum>1</maximum>
              <minimum>0</minimum>
            </occurrences>
            <item xsi:type="at:C_STRING">
              <pattern>.*</pattern>
            </item>
          </children>
        </attributes>
      </children>
    </attributes>
  </children>
</attributes>
<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
  <rm_attribute_name>meaning</rm_attribute_name>

```

```

<children xsi:type="at:C_COMPLEX_OBJECT">
  <rm_type_name>CV</rm_type_name>
  <occurrences>
    <includes_maximum>true</includes_maximum>
    <includes_minimum>true</includes_minimum>
    <maximum>1</maximum>
    <minimum>0</minimum>
  </occurrences>
  <node_id>at0007</node_id>
  <attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
    <rm_attribute_name>codeValue</rm_attribute_name>
    <children xsi:type="at:C_PRIMITIVE_OBJECT">
      <rm_type_name>String</rm_type_name>
      <occurrences>
        <includes_maximum>true</includes_maximum>
        <includes_minimum>true</includes_minimum>
        <maximum>1</maximum>
        <minimum>0</minimum>
      </occurrences>
      <item xsi:type="at:C_STRING">
        <pattern>.*</pattern>
      </item>
    </children>
  </attributes>
</children>
</attributes>
<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
  <rm_attribute_name>synthesised</rm_attribute_name>
  <children xsi:type="at:C_PRIMITIVE_OBJECT">
    <rm_type_name>DvBoolean</rm_type_name>
    <occurrences>
      <includes_maximum>true</includes_maximum>
      <includes_minimum>true</includes_minimum>
      <maximum>1</maximum>
      <minimum>0</minimum>
    </occurrences>
    <item xsi:type="at:C_BOOLEAN">
      <true_valid>true</true_valid>
      <false_valid>true</false_valid>
      <assumed_value>>false</assumed_value>
    </item>
  </children>
</attributes>
<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
  <rm_attribute_name>sensitivity</rm_attribute_name>
  <children xsi:type="at:C_PRIMITIVE_OBJECT">
    <rm_type_name>Integer</rm_type_name>
    <occurrences>
      <includes_maximum>true</includes_maximum>
      <includes_minimum>true</includes_minimum>
      <maximum>1</maximum>
      <minimum>0</minimum>
    </occurrences>
    <item xsi:type="at:C_INTEGER">
      <range>
        <includes_maximum>false</includes_maximum>
        <includes_minimum>false</includes_minimum>
        <maximum>2147483647</maximum>
        <minimum>-2147483647</minimum>
      </range>
    </item>
  </children>
</attributes>

```

```

<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
  <rm_attribute_name>value</rm_attribute_name>
  <children xsi:type="at:C_COMPLEX_OBJECT">
    <rm_type_name>SIMPLE_TEXT</rm_type_name>
    <occurrences>
      <includes_maximum>true</includes_maximum>
      <includes_minimum>true</includes_minimum>
      <maximum>1</maximum>
      <minimum>0</minimum>
    </occurrences>
    <node_id>at0008</node_id>
    <attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
      <rm_attribute_name>originalText</rm_attribute_name>
      <children xsi:type="at:C_PRIMITIVE_OBJECT">
        <rm_type_name>String</rm_type_name>
        <occurrences>
          <includes_maximum>true</includes_maximum>
          <includes_minimum>true</includes_minimum>
          <maximum>1</maximum>
          <minimum>0</minimum>
        </occurrences>
        <item xsi:type="at:C_STRING">
          <pattern>.*</pattern>
        </item>
      </children>
    </attributes>
  </children>
</attributes>
</children>
<cardinality>
  <is_ordered>>false</is_ordered>
  <is_unique>true</is_unique>
  <interval>
    <includes_maximum>>false</includes_maximum>
    <includes_minimum>true</includes_minimum>
    <minimum>0</minimum>
  </interval>
</cardinality>
</attributes>
</definition>
<ontology>
  <specialisation_depth>0</specialisation_depth>
  <term_definitions>
    <language>pt-br</language>
    <terms>
      <code>at0000</code>
      <items>
        <item>
          <key>text</key>
          <value>Avaliação Neonatal</value>
        </item>
        <item>
          <key>description</key>
          <value>Avaliação Neonatal</value>
        </item>
      </items>
    </terms>
    <terms>
      <code>at0001</code>
      <items>
        <item>
          <key>text</key>
          <value>SIMPLE_TEXT</value>

```

```

    </item>
    <item>
      <key>description</key>
      <value>This is a SIMPLE_TEXT object</value>
    </item>
  </items>
</terms>
<terms>
  <code>at0002</code>
  <items>
    <item>
      <key>text</key>
      <value>II</value>
    </item>
    <item>
      <key>description</key>
      <value>This is a II object</value>
    </item>
  </items>
</terms>
<terms>
  <code>at0004</code>
  <items>
    <item>
      <key>text</key>
      <value>CS</value>
    </item>
    <item>
      <key>description</key>
      <value>This is a CS object</value>
    </item>
  </items>
</terms>
<terms>
  <code>at0003</code>
  <items>
    <item>
      <key>text</key>
      <value>ELEMENT</value>
    </item>
    <item>
      <key>description</key>
      <value>This is a ELEMENT object</value>
    </item>
  </items>
</terms>
<terms>
  <code>at0005</code>
  <items>
    <item>
      <key>text</key>
      <value>SIMPLE_TEXT</value>
    </item>
    <item>
      <key>description</key>
      <value>This is a SIMPLE_TEXT object</value>
    </item>
  </items>
</terms>
<terms>
  <code>at0006</code>
  <items>
    <item>
```



```

        <key>text</key>
        <value>II</value>
    </item>
    <item>
        <key>description</key>
        <value>This is a II object</value>
    </item>
</items>
</terms>
<terms>
    <code>at0007</code>
    <items>
        <item>
            <key>text</key>
            <value>CV</value>
        </item>
        <item>
            <key>description</key>
            <value>This is a CV object</value>
        </item>
    </items>
</terms>
<terms>
    <code>at0008</code>
    <items>
        <item>
            <key>text</key>
            <value>SIMPLE_TEXT</value>
        </item>
        <item>
            <key>description</key>
            <value>This is a SIMPLE_TEXT object</value>
        </item>
    </items>
</terms>
<terms>
    <code>at0009</code>
    <items>
        <item>
            <key>text</key>
            <value>OID</value>
        </item>
        <item>
            <key>description</key>
            <value>This is a OID object</value>
        </item>
    </items>
</terms>
<terms>
    <code>at0010</code>
    <items>
        <item>
            <key>text</key>
            <value>OID</value>
        </item>
        <item>
            <key>description</key>
            <value>This is a OID object</value>
        </item>
    </items>
</terms>
</term_definitions>
</ontology>
```

</archetype>