

```

<?xml version="1.0" encoding="UTF-8"?>
<archetype xmlns:at="openEHR/v1/Archetype"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <archetype_id>CEN-EN13606-SECTION.Historia_Pregressa.v1</archetype_id>
  <concept_code>at0000</concept_code>
  <language>
    <original_language>
      <code_string>pt-br</code_string>
      <terminology_id>ISO_639-1</terminology_id>
    </original_language>
  </language>
  <description>
    <original_author>
      <item>
        <key>date</key>
        <value>20090903</value>
      </item>
    </original_author>
    <lifecycle_state>Draft</lifecycle_state>
    <details>
      <language>
        <code_string>pt-br</code_string>
        <terminology_id>ISO_639-1</terminology_id>
      </language>
      <purpose>Archetype purpose</purpose>
      <use>null</use>
      <misuse>null</misuse>
    </details>
  </description>
  <definition>
    <rm_type_name>SECTION</rm_type_name>
    <occurrences>
      <includes_maximum>true</includes_maximum>
      <includes_minimum>true</includes_minimum>
      <maximum>1</maximum>
      <minimum>1</minimum>
    </occurrences>
    <node_id>at0000</node_id>
    <attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
      <rm_attribute_name>archetype_id</rm_attribute_name>
      <children xsi:type="at:C_PRIMITIVE_OBJECT">
        <rm_type_name>String</rm_type_name>
        <occurrences>
          <includes_maximum>true</includes_maximum>
          <includes_minimum>true</includes_minimum>
          <maximum>1</maximum>
          <minimum>0</minimum>
        </occurrences>
        <item xsi:type="at:C_STRING">
          <pattern>.*</pattern>
        </item>
      </children>
    </attributes>
    <attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
      <rm_attribute_name>name</rm_attribute_name>
      <children xsi:type="at:C_COMPLEX_OBJECT">
        <rm_type_name>SIMPLE_TEXT</rm_type_name>
        <occurrences>
          <includes_maximum>true</includes_maximum>
          <includes_minimum>true</includes_minimum>
          <maximum>1</maximum>
          <minimum>0</minimum>
        </occurrences>
      </children>
    </attributes>
  </definition>
</archetype>

```

```

<node_id>at0001</node_id>
<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
  <rm_attribute_name>originalText</rm_attribute_name>
  <children xsi:type="at:C_PRIMITIVE_OBJECT">
    <rm_type_name>String</rm_type_name>
    <occurrences>
      <includes_maximum>true</includes_maximum>
      <includes_minimum>true</includes_minimum>
      <maximum>1</maximum>
      <minimum>0</minimum>
    </occurrences>
    <item xsi:type="at:C_STRING">
      <pattern>.*</pattern>
    </item>
  </children>
</attributes>
</children>
</attributes>
<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
  <rm_attribute_name>rc_id</rm_attribute_name>
  <children xsi:type="at:C_COMPLEX_OBJECT">
    <rm_type_name>II</rm_type_name>
    <occurrences>
      <includes_maximum>true</includes_maximum>
      <includes_minimum>true</includes_minimum>
      <maximum>1</maximum>
      <minimum>0</minimum>
    </occurrences>
  </children>
<node_id>at0002</node_id>
<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
  <rm_attribute_name>assigningAuthorityName</rm_attribute_name>
  <children xsi:type="at:C_PRIMITIVE_OBJECT">
    <rm_type_name>String</rm_type_name>
    <occurrences>
      <includes_maximum>true</includes_maximum>
      <includes_minimum>true</includes_minimum>
      <maximum>1</maximum>
      <minimum>0</minimum>
    </occurrences>
    <item xsi:type="at:C_STRING">
      <pattern>.*</pattern>
    </item>
  </children>
</attributes>
<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
  <rm_attribute_name>root</rm_attribute_name>
  <children xsi:type="at:C_COMPLEX_OBJECT">
    <rm_type_name>OID</rm_type_name>
    <occurrences>
      <includes_maximum>true</includes_maximum>
      <includes_minimum>true</includes_minimum>
      <maximum>1</maximum>
      <minimum>0</minimum>
    </occurrences>
  </children>
<node_id>at0005</node_id>
<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
  <rm_attribute_name>oid</rm_attribute_name>
  <children xsi:type="at:C_PRIMITIVE_OBJECT">
    <rm_type_name>String</rm_type_name>
    <occurrences>
      <includes_maximum>true</includes_maximum>
      <includes_minimum>true</includes_minimum>
      <maximum>1</maximum>

```

```

                <minimum>0</minimum>
            </occurrences>
            <item xsi:type="at:C_STRING">
                <pattern>.*</pattern>
            </item>
        </children>
    </attributes>
</children>
</attributes>
</children>
<attributes xsi:type="at:C_SINGLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
    <rm_attribute_name>synthesised</rm_attribute_name>
    <children xsi:type="at:C_PRIMITIVE_OBJECT">
        <rm_type_name>DvBoolean</rm_type_name>
        <occurrences>
            <includes_maximum>true</includes_maximum>
            <includes_minimum>true</includes_minimum>
            <maximum>1</maximum>
            <minimum>0</minimum>
        </occurrences>
        <item xsi:type="at:C_BOOLEAN">
            <true_valid>true</true_valid>
            <false_valid>true</false_valid>
            <assumed_value>>false</assumed_value>
        </item>
    </children>
</attributes>
<attributes xsi:type="at:C_MULTIPLE_ATTRIBUTE" minOccurs="1" maxOccurs="1">
    <rm_attribute_name>members</rm_attribute_name>
    <children xsi:type="at:ARCHETYPE_SLOT">
        <rm_type_name>ENTRY</rm_type_name>
        <occurrences>
            <includes_maximum>false</includes_maximum>
            <includes_minimum>true</includes_minimum>
            <minimum>0</minimum>
        </occurrences>
        <node_id>at0003</node_id>
        <includes>
            <tag>null</tag>
            <string_expression>archetype_id/value matches {/CEN-EN13606-ENTRY.Avaliacao_Neonatal.v1/}</string_expression>
            <expression xsi:type="at:EXPR_BINARY_OPERATOR">
                <type>BOOLEAN</type>
                <operator>6</operator>
                <precedence_overridden>>false</precedence_overridden>
                <left_operand xsi:type="at:EXPR_LEAF">
                    <type>STRING</type>
                    <item>archetype_id/value</item>
                    <reference_type>CONSTANT</reference_type>
                </left_operand>
                <right_operand xsi:type="at:EXPR_LEAF">
                    <type>String</type>
                    <item>org.ehr.am.constraintmodel.primitive.CString@21e5f0</item>
                    <reference_type>CONSTANT</reference_type>
                </right_operand>
            </expression>
        </includes>
    </children>
    <children xsi:type="at:ARCHETYPE_SLOT">
        <rm_type_name>ENTRY</rm_type_name>
        <occurrences>
            <includes_maximum>false</includes_maximum>
            <includes_minimum>true</includes_minimum>

```

```

        <minimum>0</minimum>
    </occurrences>
    <node_id>at0004</node_id>
    <includes>
        <tag>null</tag>
        <string_expression>archetype_id/value matches {/CEN-EN13606-ENTRY.Resultados_Exames.v1/}</string_expression>
        <expression xsi:type="at:EXPR_BINARY_OPERATOR">
            <type>BOOLEAN</type>
            <operator>6</operator>
            <precedence_overridden>false</precedence_overridden>
            <left_operand xsi:type="at:EXPR_LEAF">
                <type>STRING</type>
                <item>archetype_id/value</item>
                <reference_type>CONSTANT</reference_type>
            </left_operand>
            <right_operand xsi:type="at:EXPR_LEAF">
                <type>String</type>
                <item>org.ehr.am.constraintmodel.primitive.CString@17ef0a7</item>
                <reference_type>CONSTANT</reference_type>
            </right_operand>
        </expression>
    </includes>
</children>
<cardinality>
    <is_ordered>false</is_ordered>
    <is_unique>true</is_unique>
    <interval>
        <includes_maximum>false</includes_maximum>
        <includes_minimum>true</includes_minimum>
        <minimum>0</minimum>
    </interval>
</cardinality>
</attributes>
</definition>
<ontology>
    <specialisation_depth>0</specialisation_depth>
    <term_definitions>
        <language>pt-br</language>
        <terms>
            <code>at0000</code>
            <items>
                <item>
                    <key>text</key>
                    <value>Historia_Pregressa</value>
                </item>
                <item>
                    <key>description</key>
                    <value>Historia_Pregressa</value>
                </item>
            </items>
        </terms>
        <terms>
            <code>at0001</code>
            <items>
                <item>
                    <key>text</key>
                    <value>SIMPLE_TEXT</value>
                </item>
                <item>
                    <key>description</key>
                    <value>This is a SIMPLE_TEXT object</value>
                </item>
            </items>
        </terms>
    </term_definitions>
</ontology>

```

```
</terms>
<terms>
  <code>at0002</code>
  <items>
    <item>
      <key>text</key>
      <value>II</value>
    </item>
    <item>
      <key>description</key>
      <value>This is a II object</value>
    </item>
  </items>
</terms>
<terms>
  <code>at0005</code>
  <items>
    <item>
      <key>text</key>
      <value>OID</value>
    </item>
    <item>
      <key>description</key>
      <value>This is a OID object</value>
    </item>
  </items>
</terms>
</term_definitions>
</ontology>
</archetype>
```